MAXIMA

Plug-in



Standard features


- Self-contained compressor with R290 gas, plug in for use
- 5 layers adjustable wire shelving, with price tag
- Inner vertical LED lights
- SAIWEI EC evaporator and condenser fan motor
- Dixell digital thermostat
- Frameless double glazed Low-E glass door for chiller
- Frameless triple glazed anti-fog glass door for freezer
- With auto self-evaporation drip tray
- Custom color

KOLDBLUE

Specifications:

Models	MAXIMA 1DR	MAXIMA 2DR	MAXIMA 3DR	MAXIMA 4DR
Exterior Dimensions	680*730*2000	1250*730*2000	1875*730*2000	2500*730*2000
TDA	0.82 m²	1.54 m²	2.34 m²	3.14 m²
Temperature	-1 - +5 °C			
Net Volume	400 L	810 L	1260 L	1700 L
Compressor	Embraco			
Cooling System	Ventilated			
Refrigerant	R290			
Voltage/Frequency	220-240V, 50/60Hz, 1PH			
Input Power (50Hz)	380 W	707 W	830 W	1350 W
Input Power (60Hz)	420 W	750 W	978 W	1500 W
Energy Consump.	3.93 kWh/24h	5.53 kWh/24h	7.52 kWh/24h	9.45 kWh/24h
EEI	B	B	B	B
Thermostat	Dixell			
Con. Fan Motor	SAIWEI EC			
Evap. Fan Motor	SAIWEI EC			
Evaporator	Copper pipe + aluminum fin type			
Condenser	Steel wire tube			
Body Material	Exterior: Powder Coated Galvanized Steel Interior: Powder Coated Aluminum			

Section Drawing:




KOLDBLUE

Specifications:

Models	MAXIMA 1DF	MAXIMA 2DF	MAXIMA 3DF	MAXIMA 4DF
Exterior Dimensions	680*730*2000	1250*730*2000	1875*730*2000	2500*730*2000
TDA	0.82 m²	1.54 m²	2.34 m²	3.14 m²
Temperature	-16 - -22 °C			
Net Volume	400 L	810 L	1260 L	1700 L
Compressor	Secop			
Cooling System	Ventilated			
Refrigerant	R290			
Voltage/Frequency	220-240V, 50/60Hz, 1PH			
Input Power (50Hz)	590 W	1050 W	1877 W	1926 W
Input Power (60Hz)	630 W	1180 W	1900 W	2300 W
Energy Consump.	10.25 kWh/24h	19.13 kWh/24h	26.9 kWh/24h	37.3 kWh/24h
EEI	D	D	D	D
Thermostat	Dixell			
Con. Fan Motor	SAIWEI EC			
Evap. Fan Motor	SAIWEI EC			
Evaporator	Copper pipe + aluminum fin type			
Condenser	Steel wire tube			
Body Material	Exterior: Powder Coated Galvanized Steel Interior: Powder Coated Aluminum			

Section Drawing:



KOLDBLUE