
RY-BOND®
岩 石
Since 1995

# Hot Melt Pressure Sensitive Adhesives for Medical

# 医疗用热熔压敏胶

Rocky Adhesive Behind Everyday Product Everywhere



Rocky Adhesive,Perfect Your Bonding!



上海路嘉胶粘剂有限公司

**SHANGHAI**

Rocky Adhesives Co., LTD

The brochure covers the range of core products that we supply to Medical product markets . It sets out to provide an at-a-glance overview of the various adhesive products we supply, as well as their properties and performance. In addition to the product listed in this brochure, we also have a wide range of products that have resulted from fine-tuning existing products to more specific applications.

Therefore, we urge you to contact our agent, distributor of direct contact to help you finding the product best suited your application.

Moreover, should the required product not be immediately available, it is often possible for us to develop a specific solution to better meet your requirements. We positively welcome challenging demands and look forward to developing the right adhesive to meet your needs .

这本小册子所介绍的是我们提供给医疗用胶的核心产品。我们设计此小册子的目的主要是将我们所供应的各种粘合剂产品（含产品的性质和性能）做概要汇总，以方便您查阅。除了在本册列出的产品外，我们还有许多针对不同用途的产品。

所以，敬请与我们的代理，经销商联系或直接联系我们，以便帮助您寻找最合适的产品。

如果我们没有适合您的产品，我们可根据您的需求研发更适合您的粘合剂。我们非常乐意接受挑战并期望能研发出合适的粘合剂满足您的要求。



上海工厂
SHANGHAI PLANT

## Company Introduction:


Shanghai Rocky Adhesive Co., LTD. is a manufacturing enterprise integrating product development, production and sales, which specialized in the production and sale of high-grade hot melt adhesive and water-based adhesive. Our adhesives are widely used in the fields of wood processing、book binding、printing 、food packaging、hygiene products、 engineering 、tape 、label 、shoes making、tobacco、medical treatment and so on. It's a director member of China adhesive and adhesive tape industry association unite. Our customers cover 31 provinces and cities in mainland China, and are exported to Russia, Southeast Asia, South Asia, Middle East, South America, etc.

上海路嘉胶粘剂有限公司是一家以产品研发、生产、销售于一体的生产型企业。专业生产、销售高档热熔胶和水基胶.公司产品广泛应用于木材加工、书本装订、印刷加工、食品包装、卫生制品、工程、胶带、标签、制鞋、卷烟、医疗等领域。是中国胶粘剂及胶粘带工业协会理事单位。客户遍布中国大陆31个省市，并远销俄罗斯、东南亚、南亚、中东、南美等世界各地。

RY-BOND®
岩 石
Since 1995

Passed IS09001: 2015 international quality management system. Passed China Environmental labeling products certification (ten ring certified) .
Over ten years, Rocky Company have pushed Sustainable Development Strategy of business process in whole value chain, such as starting with the environment protection, energy-saving and efficient utilization of resource from the step of product research and development.

公司通过ISO9001:2015国际质量管理体系认证，通过中国环境标志产品认证（十环认证）
数十年来，路嘉一直在整 个价值链中推动业务流程的可持续发展。例如：从产品研发阶段就注重环保、节能、资源有效利用。




SHANGHAI Rocky Adhesives Co., LTD

## Sales

Rocky products every day every where. So far, Rocky products have been involved in various fields, such as Medical, label, tape, bookbinding, paper converting, food packaging, non-woven, wood processing, tobacco etc.

至今，路嘉产品已经遍布各个领域，如医疗用品、标签、胶带、书本装订、印刷加工、食品包装、卫生制品、木材加工、卷烟……

## Services

Rocky adheres to the purpose of “integrity management and service to win”. It is ready to provide service of higher-quality beyond expectation.

公司秉承“诚信经营，服务至胜”的宗旨，时刻为客户提供更高质量，超越期待的服务。

## R&D

Professional technical force and first class R&D team continuously improve product propety. And numbers of cost performance adhesive products have been introduced to the market.

公司拥有专业的技术力量、高素质的研发队伍，提升产品的高性能，不断推出综合性价比高的胶粘剂产品。

## QC

"Quality is life” is the fundamental of Rocky. Meticulous quality control personnel are dedicated their work in order to bring the excellent safe adhesive to its customers.

质量是企业的生命，是路嘉的根本，质检人员一丝不苟、执着的工作态度带给我们客户安全的粘合剂产品。

## Production

Advanced production equipment, exquisite production technology and efficient teamwork bring out continuous improvement of production efficiency.

先进的生产设备，精湛的生产工艺及高效的团队，使生产效率不断提高。

# Hot Melt Pressure Sensitive Adhesives for Medical
# A SINGLE SOURCE SOLUTION
# 医疗用热熔压敏胶--全面解决方案



## Hot Melt Pressure Sensitive Adhesives for Medical
## 医疗用热熔压敏胶应用

- HM PSA for Infusion Pads
  输液贴用热熔压敏胶
- HM PSA for Wound Care Pads
  创可贴用热熔压敏胶
- HM PSA for Porous Film Tape
  透气胶带用热熔压敏胶
- HM PSA for Bandage Tape
  绷带用热熔压敏胶
- HM PSA for Wound Dressing Pads
  敷料贴用热熔压敏胶
- HM PSA for Electrode Pads
  电极贴用热熔压敏胶
- HM PSA for Ointment Pads
  膏药贴用热熔压敏胶
- Adhesives for Operating Gown Lamination（HM PSA, Water Based Adhesives)
  手术衣复合用胶
- Hotmelt Adhesive for Protective Clothes Seam Sealing Tape
  医用防护服贴条用胶
- Hotmelt Adhesive for Surgical Gown & Protective Clothes Lamination
  医用手术衣和防护服复合胶
- Hotmelt Adhesive for N95 Mask Aluminum Strip Nose Pin
  N95口罩鼻梁铝条贴合胶

# Hot Melt Pressure Sensitive Adhesives for Medical
# 医疗用热熔压敏胶

RY-BOND®
岩 石
Since 1995

创造透气通道超强透气 — Creates air channels for superior breathability

良好的粘接让创可贴更持久 — Good adhesion to skin makes it stay longer

适中的粘力无痛去除 — Moderate peel strength for gentle removal

较好的灵活性 — Extremely good coating flexibility

相对较低的皮肤敏感性 — Relatively low skin irritation

## HM PSA for Operating Gown Lamination
## 手术衣复合用胶

Performance Requirement:

Performance Requirement:

Good bonding performance, fast curing, strong adhesive

性能要求：

1、良好的粘接性能

2、固化快

3、粘接强



## HM PSA for Infusion Pads
## 输液贴用热熔压敏胶

Performance Requirement:

1. Operation safety
2. Good wetting
3. High shear performance

性能要求：

1.安全操作

2.较好的浸润性

3.抗剪切强度大



RY-BOND®
岩 石
Since 1995

## HM PSA for Wound Care Pads
## 创可贴用热熔压敏胶

Performance Requirement:

1. Good wet resistance effective
2. Moderate peeling
3. Low skin irritation

性能要求：

1.湿强效果佳
2.适中的剥离力
3.对皮肤敏感性低



## HM PSA for Porous Film Tape
## 透气胶带用热熔压敏胶

Performance Requirement:

1. Moderate peel strength
2. Good wetting
3. High shear performance

性能要求：

1.适中的剥离力
2.较好的浸润性
3.抗剪切强度大




## HM PSA for Bandage Tape
## 绷带用热熔压敏胶

Performance Requirement:

1. High cohesion strength
2. Good air permeability to skin
3. Good removable ability

性能要求：

1.内聚力高
2.对皮肤具有较好的透气性
3.可重剥性佳





## HM PSA for Wound Dressing Pads
## 敷料贴用热熔压敏胶

Performance Requirement:

1. Moderate peel strength
2. Good biocompatibility
3. No residue

性能要求：

1.适中的剥离力
2.生物相容性佳
3.无残留



## HM PSA for Electrode Pads
## 电极贴用热熔压敏胶

Performance Requirement:

1. Good wetting
2. Good air permeability to skin
3. Relatively low skin irritation

性能要求：

1.较好的浸润性
2.对皮肤较好的透气性
3.相对较低的皮肤敏感性




## HM PSA for Ointment Pads
## 膏药贴用热熔压敏胶

Performance Requirement:

1. Better glue flexibility
2. Good herbal compatibility
3. Low skin irritation

性能要求：

1.胶的柔韧性佳
2.与草药相容性佳
3.对皮肤敏感性低



RY-BOND®
岩 石
Since 1995

## Hotmelt Adhesive for Protective Clothes Seam Sealing Tape
## 医用防护服贴条用胶

Application:
paper packaging, sponge, non-woven cloth,plastic, metal and other materials bonding reinforcement, suitable for medical protective clothing waterproof strip secondary heating bonding.



用途：
应用于纸材包装、海绵、无纺布、塑料、金属等材料粘接加固，适合于医用防护服防水条的二次加热粘合。

## Hotmelt Adhesive For Surgical Gown & Protective Clothes Lamination
## 医用手术衣和防护服复合胶

Application:
Flat adhesive substrate: wood-plastic fibreboard, stainless steel board, aluminum board, fabric, sponge and other flat adhesive film materials: PVC film, TPU, etc



Performance:
It is a PUR hot-melt adhesive with low viscosity, short opening time, good final strength and good heating viscosity stability.After chemical crosslinking curing, irreversible thermosetting colloid can be formed. The colloid has good adhesion, good fluidity, good low temperature resistance and good solvent resistance, especially suitable for spraying process.

用途：
平贴基材：木塑纤维板、不锈钢板、铝板、面料、海绵等平贴膜材：PVC膜、TPU等

性能：
是一款低粘度，开放时间短，最终强度好，加热粘度稳定性好的PUR热熔胶。经化学交联固化之后，可形成不可逆的热固性胶体，该胶体具有良好的粘接性能，很好的流动性，很好的耐低温性以及良好的耐溶剂性，特别适合喷涂工艺。

## Hotmelt Adhesive For N95 Mask Aluminum Strip Nose Pin
## N95口罩鼻梁铝条贴合胶

Application:
Use for mask nose bridge aluminum adhesive, can also be used for mask ear rope glue

用途：
口罩鼻梁铝条粘合胶，也可以用于口罩耳绳用胶





## Water-based Hot Melt Adhesives for Medical Dialysis Paper Aseptic Packaging Bag Composite
## 医用透析纸无菌包装袋复合用水性热熔胶

Application:
Used for medical packaging coated with dialysis paper.High transparency, non - yellowing, good air permeability and adhesion.When peeling, the surface is smooth and no paper waste is produced, and the hand feels soft. Stable intensity, tolerance to the environment.The surface of the coating is dry and can be rolled up. It is an ideal environmental protection product.

用途：
用于医疗包装用透析纸涂覆。透明度高，不黄变，良好的透气性及粘接力。剥离时表面平整无纸屑产生，手感柔软。强度稳定，对环境的宽容性强。涂层干燥后表面干爽，可收卷，是理想的绿色环保产品。




# Automatic packaging pressure sensitive hot melt adhesive production line
# 自动包装压敏热熔胶生产线


RY-BOND®
岩 石
Since 1995

## SHANGHAI
## Rocky Adhesives Co., LTD









RY-BOND®
岩 石
Since 1995

# Label Tape With Hot Melt Pressure Sensitive Adhesive Production Coating Equipment
# 标签胶带用热熔压敏胶生产涂布设备






# R&D Center 研发中心

Shanghai Rocky Adhesives Co.,Ltd have passed the certification of ISO9001:2015 quality management system,Passed China Environmental labeling products certification (ten ring certified).formulated the HSE standard management system(health,safety,environmental protection),and have been tested and identified by SGS,ITS of authoritative certification testing agency,our water-based glue and hotmelt adhesive products comply with the regulations of European REACH,do not contain 210 SVHC materials,for example:phthalate ester,heavy metal,methanal etc.






路嘉公司已经获得ISO9001-2015质量认证,通过中国环境标志产品认证（十环认证）。制定了HSE标准管理体系（健康，安全，环保），经权威认证检测机构SGS,ITS等测试、鉴定，公司的水基胶和热熔胶产品符合欧盟REACH要求，不含邻苯二甲酸酯、甲醛、重金属等210种高关注物质（SVHC）！



测试报告

No. SHAEC2010623102

日期: 2020年06月18日 第1页,共9页



Test Report

TEST ITEMS

TEST ARTICLE

IDENTIFICATION №

180710

MANUFACTURER

SPONSOR

SHANGHAI BIOMATERIALS RESEARCH & TEST CENTER



苏州大学

卫生与环境技术研究所

最终报告

报告编号: SDWH-M201801285-1

参照 ISO 10993-5: 2009 方法进行

压敏胶的细胞毒性试验

MTT 法

含 10%胎牛血清的 MEM 浸提液

委托单位

上海路嘉胶粘剂有限公司

制造商

上海路嘉胶粘剂有限公司

苏州大学卫生与环境技术研究所


# Equipment 部分试验设备

## SHANGHAI
Rocky Adhesives Co., LTD















# Adhesives For Other Industries
# 其他行业用胶应用

RY-BOND®
岩 石
Since 1995

## HYGIENE PRODUCT ADHESIVES APPLICATION 卫材用胶应用

- Positioning & Construction HM PSA for Sanitary Napkins
  卫生巾及护垫用背胶、结构胶
- Elastic Attachment & Construction HM PSA for Diapers
  纸尿裤用弹性线胶、结构胶
- HM PSA for Diaper Back Sheet Lamination
  纸尿裤底膜复合用胶
- HM PSA for Side Tape of Diapers
  纸尿裤左右腰贴胶
- Wetness Strength HM PSA for Diaper Core Consistency
  纸尿裤芯体胶

## ADHESIVES FOR PACKAGING & PAPER CONVERTING 包装印刷用胶应用

- Hot Melt Adhesives for Carton and Case Sealing
  封箱、糊盒热熔胶
- Adhesives for All Kinds of Paper Box and Paper Bag
  各类纸袋纸盒用胶
- Hot Melt Adhesives for Straw Attachment
  吸管热熔胶
- Toluene Free Adhesives for Food Packaging
  食品包装无苯胶
- Adhesives for Labeling(Oil Bottle&Beer Bottle)
  贴标胶（油瓶、啤酒瓶）
- Adhesives for Paper Board Lamination
  纸张复合裱贴胶
- Hot Melt Adhesives for Bookbinding
  书本装订热熔胶
- Adhesives for Envelop Seaming
  信封封口胶
- Adhesives for Paper Tube
  纸管胶
- Adhesives for Paper Towel
  卷纸搭扣胶
- Cigarette Adhesives(for cigarette filter tip interface,Side Seaming and cigarette case)
  卷烟胶（过滤嘴接口胶、搭口胶、烟盒胶）

## TAPE & LABEL ADHESIVES APPLICATION 标签胶带热熔胶应用

- HM PSA for Thermal Sensitive Paper Label
  热敏纸标签用热熔压敏胶
- HM PSA for EMS Label
  EMS标签用热熔压敏胶
- HM PSA for Tire Label
  轮胎标签用热熔压敏胶
- HM PSA for Masking Tape
  美纹纸胶带用热熔压敏胶
- HM PSA for anti-counterfeit label
  防伪标签用热熔压敏胶
- HM PSA for Removable Label
  可移性标签用热熔压敏胶

RY-BOND®
岩 石
Since 1995

# 诚征经销商
# Distributors Wanted




上海虹桥国际机场2号航站楼到上海路嘉胶粘剂有限公司
Shanghai Hongqiao International Airport Terminal 2 to Shanghai Rocky Adhesives Co., LTD
交通路线：2号地铁到虹桥火车站换乘17号线蟠龙站下，步行 1.7公里
Transit Route:Take metro line 2 to Hongqiao Railway Station,transfer to metro Line 17 to Panlong Road Station and walk 1.7 km
上海虹桥火车站到上海路嘉胶粘剂有限公司
Shanghai Hongqiao Railway Station to Shanghai Rocky Adhesives Co., LTD
交通路线：乘17号地铁线至蟠龙路站下车，步行1.7公里
Transit Route: Take Metro Line 17 to Panlong Road Station and walk 1.7 km
国家会展中心到上海路嘉胶粘剂有限公司
National Convention and Exhibition Center to Shanghai Rocky Adhesives Co., LTD
交通路线：在北门附近的17号地铁线诸光路站乘一站地铁，到蟠龙路站下车，步行1.7公里
Transit Route:Take one subway stop at Zhuguang Road Station on Metro Line 17 near the north gate to Panlong Road Station and walk 1.7 km


## 上海路嘉胶粘剂有限公司
公司地址：中国上海市青浦徐泾经济开发区华徐路566号
电话：021-59761668　传真：021-59761668-204
手机：13901973427　微信号：13901973427
邮箱：info@shrocky.com 网址：www.shrocky.com
阿里巴巴：https://ljjnj.1688.com/　淘宝店铺：https://shop62440382.taobao.com

## SHANGHAI ROCKY ADHESIVES CO., LTD
Add：No. 566, Huaxu Road, Xujing Town, Qingpu, 201702, Shanghai, P.R. China
Tel: +86-21-59761668 Fax:+86-21-59761668 -204
Mob：+86-13901973427 Wechat/whatsapp:+86-13901973427
Email：info@shrocky.com Skype:sh.rocky
Website:www.shrocky.com